10

30

CLAIMS

- 1. A recombinant lactic acid bacterium which has been genetically modified so as to provide it with a respiratory metabolism, or to activate said metabolism.
- 2. The lactic acid bacterium as claimed in claim 1, characterized in that it has undergone at least one genetic modification consisting in the addition of at least one gene encoding a protein involved in respiratory metabolism or promoting said metabolism.
- 3. The lactic acid bacterium as claimed in either of claims 1 and 2, characterized in that it has undergone at least one modification resulting in the overexpression of at least one gene encoding a protein involved in respiratory metabolism and/or a modification resulting in the activation of at least one protein involved in respiratory metabolism or promoting said metabolism.
 - 4. The lactic acid bacterium as claimed in any one of claims 1 to 3, characterized in that it has undergone at least one modification resulting in the complete or partial inactivation of at least one gene encoding a protein involved in fermentative metabolism or promoting said metabolism, and/or at least one modification resulting in the underexpression of at least 'one gene encoding a protein involved in fermentative metabolism or promoting said metabolism.
 - 5. The lactic acid bacterium as claimed in claim 2, characterized in that said gene is chosen from:
- the genes encoding proteins of the heme biosynthesis pathway;
 - the genes encoding proteins of the cytochrome biosynthesis pathway;
 - the genes encoding proteins of the Krebs cycle.

- 6. The lactic acid bacterium as claimed in claim 3, characterized in that said gene is chosen from:
- genes regulating metabolic pathways promoting the respiratory pathway;
- enzymes of the cytochrome biosynthesis pathway;
- genes encoding hemin proteins.

5

30

35

- 7. The lactic acid bacterium as claimed in claim 4, characterized in that said gene is chosen from the ccpA gene and the gls24 gene.
- 8. The lactic acid bacterium as claimed in any one of claims 1 to 7, characterized in that it is chosen from bacteria of the genera Lactococcus, Lactobacillus, Leuconostoc, Streptococcus, Propionibacterium, Bifidobacterium, or Enterococcus.
- 9. The lactic acid bacterium as claimed in any one of claims 1 to 3, characterized in that it is a strain of the species *Lactococcus* or *Streptococcus* transformed with at least one gene encoding a protein of the heme biosynthesis pathway.
- 25 10. A method of bacteria culture, characterized in that it comprises the culture of at least one strain of lactic acid bacterium as claimed in any one of claims 1 to 9, under conditions allowing the induction of a respiratory metabolism in said strain.
 - 11. The method of culture as claimed in claim 10, characterized in that it is carried out for the production of a lactic starter culture, and in that it comprises harvesting the bacteria at the end of said culture.
 - 12. A lactic starter culture comprising at least one strain of lactic acid bacterium transformed as claimed in any one of claims 1 to 9.

- 13. The method for preparing a fermented product, characterized in that it comprises inoculating a medium to be fermented using a lactic starter culture as claimed in claim 12.
 - 14. The use of a lactic starter culture as claimed in claim 12 for the preparation of a fermented product.
- 10 15. From a recombinant lactic starter culture, having the respiratory properties as claimed in claims 1 to 9, the introduction of a gene encoding any protein of interest.
- 15 16. The use of the strain described in claim 15 under respiratory conditions for the production of said heterologous protein.